Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	106	(thn film adj head) and MR and (protection or corrosion or wear or abrasion)	US-PGPUB	OR	OFF	2005/09/08 08:26
L2	7341	buffer adj layer	US-PGPUB	OR	OFF	2005/09/08 08:24
L3	6	1 and 2	US-PGPUB	OR	OFF	2005/09/08 08:24
L4	1832	(thin film adj head) and MR and (protection or corrosion or wear or abrasion)	US-PGPUB	OR	OFF	2005/09/08 08:26
L5	59	2 and 4	US-PGPUB	OR	OFF	2005/09/08 08:26

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	50	("6320726" "6204997" "6344954" "6001468" "6130805" "6154346" "6163436" "6191916" "6195872" "6233813" "5734536" "6076252" "6154347" "6255040" "6260256" "6266868" "6278580" "6296776" "6301077" "6317288" "6317289" "6330127" "6330743" "6333841" "6342990" "6353995" "6388845" "6400525" "6404602" "6414824" "6419845" "6430003" "6433960" "6441995" "6452743" "6469876" "6477004" "6477005" "6490127" "6490130" "6525905" "6558561" "6603641" "6609291" "6622371" "6646828" "6651312" "6667849" "6671135" "6728079").pn.	US-PGPUB; USPAT	OR	OFF	2005/09/08 07:34
L2	1011	(360/122).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/09/08 07:38
L3	33884	MR or magnetoresistive	USPAT	OR	OFF	2005/09/08 07:38
L4	186	2 and 3	USPAT	OR	OFF	2005/09/08 07:39
L5	2692	CSS	USPAT	OR	OFF	2005/09/08 07:40
L6	82276	abrasion	USPAT	OR	OFF	2005/09/08 07:40
L7	250963	wear	USPAT	OR	OFF	2005/09/08 07:40
L8	79	4 and (5 or 6 or 7)	USPAT	OR	OFF	2005/09/08 07:41
L9	151082	corrosion	USPAT	OR	OFF	2005/09/08 07:41
L10	79	4 and (5 or 6 or 7 or 8)	USPAT	OR	OFF	2005/09/08 07:42
L11	82269	film adj thickness	USPAT	OR	OFF	2005/09/08 07:43
L12	374	2 and (5 or 6 or 7 or 8)	USPAT	OR	OFF	2005/09/08 07:44
L13	47	11 and 12	USPAT	OR	OFF	2005/09/08 07:50
L14	12063	buffer adj layer	USPAT	OR	OFF	2005/09/08 07:51
L15	1	4 and 14	USPAT	OR	OFF	2005/09/08 07:51
L16	172	4 not 13	USPAT	OR	OFF	2005/09/08 08:04
L17	36896	MR	USPAT; JPO	OR	OFF	2005/09/08 08:05
L18	8045	magnetoresistive	USPAT; JPO	OR	OFF	2005/09/08 08:05
L19	927643	head	USPAT; JPO	OR	OFF	2005/09/08 08:05
L20	66538	slider	USPAT; JPO	OR	OFF	2005/09/08 08:06
L21	3695	css	USPAT; JPO	OR	OFF	2005/09/08 08:06

			I	I		
L22	116928	abrasion	JPO	OR	OFF	2005/09/08 08:06
L23	306016	wear	USPAT; JPO	OR	OFF	2005/09/08 08:06
L24	216906	corrosion	USPAT; JPO	OR	OFF	2005/09/08 08:06
L25	19817	buffer adj layer	USPAT; JPO	OR	OFF	2005/09/08 08:06
L26	8653	protection adj layer	USPAT; JPO	OR	OFF	2005/09/08 08:06
L27	878	(17 or 18 or 19 ro 20) and (21 or 22 or 23 or 24) and (25 or 26)	USPAT; JPO	OR	OFF	2005/09/08 08:08
L28	836	(((17 or 18) adj 19) or 19 or 20) and (21 or 22 or 23 or 24) and (25 or 26)	USPAT; JPO	OR	OFF	2005/09/08 08:10
L29	13888	hard adj drive	USPAT; JPO	OR	OFF	2005/09/08 08:11
L30	61256	disk adj drive	USPAT; JPO	OR	OFF	2005/09/08 08:11
L31	10318	disc adj drive	USPAT; JPO	OR	OFF	2005/09/08 08:11
L32	287979	disc	USPAT; JPO	OR	OFF	2005/09/08 08:11
L33	430877	disk	USPAT; JPO	OR	OFF	2005/09/08 08:11
L34	360	28 and (29 or 30 or 31 or 32 or 33)	USPAT; JPO	OR	OFF	2005/09/08 08:12
L35	359	34 not 4	USPAT; JPO	OR	OFF	2005/09/08 08:12